

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.




Return Postage Guaranteed  
by  
Native Evergreens,  
Missoula, Montana.

Sec. 562 P.L. (3)

MISSOULA, MONT.

JAN 30 1944

U. S. Department of Agriculture



Wild Flowers of Montana's Mountains Listed  
Here at Low Prices. Seed, Plants or any  
Native Material Collected. Cultural Direc-  
tions Furnished and Safe Arrival Guaranteed.  
Write For Your Copy.

U. S. Department of Agriculture,  
Washington 25, D. C.



Native Plants of the National Park Region.

Flowers  
Shrubs  
Trees  
Ferns  
Bulbs  
Seeds



Collected for you  
by  
Frank H. Rose,  
1020 Poplar Street,  
Missoula, Montana.



DRUG PLANTS  
Available in quantity

Apocynum androsaemifolium L., and others  
Arctostaphylos uva-ursi (L.) Spreng.  
Arnica fulgens Pursh., & others  
Asarum caudatum Lindl.  
Berberis aquifolium Pursh  
Chimaphila umbellata (L.) Nutt.  
Coptis occidentalis (Nutt.) Torr & Gray  
Dryopteris filix-mas (L.) Schott., & Athyrium filix-foemina (L.) Roth.  
Grindelia squarrosa (Pursh) Dunal., & G. nana Nutt.  
Goodyera decipiens (Hook.) Hubbard  
Hyoscyamus niger L.  
Juniperus communis L.  
Monarda menthaefolia Graham.  
Polyporus fomentarius Fr.  
Pulsatilla lucoviciana (Nutt.) Heller (Anemone patens L.)  
    also Anemone cylindrica Gray, & A. globosa Nutt.  
Sambucus glauca Auth.  
Verbascum thapsus L. & V. blatteria L.  
Shepherdia argentea Nutt. (Lepargyrea)

Less abundant or allied species

Achillea lanulosa Nutt.	Centaurea maculosa Lam.
Aconitum columbianum Nutt.	Cerastium arvense L.
A. lutescens A. Nels.	C. strictum L.
Acorus calamus L.	Cetraria islandica (L.) Ach.
Actaea arguta Nutt.	and other lichens.
Adenocaulon bicolor Hook.	Chara vulgaris, & others
Adiantum pedatum L.	Chrysopsis villosa (Pursh) Nutt.
Agropyron repens (L.) Beauv.	Chrysothamnus nauseosus (Pall.) Brit.
A. Smithii Rydb.	C. viscidiflorus (Hook.) Nutt.
Alisma plantago-aquatica L. var.	Cicuta Douglasii (DC.) C. & R.
Alnus tenuifolia Nutt.	Cirsium arvensis L.
A. sinuata (Regel.) Rydb.	C. foliosum, & others
Amanita muscaria Fr.	Claytonia lanceolata Pursh
Ambrosia trifida L.	Clematis hirsutissima Pursh
Anelanchier alnifolia Nutt.	Comandra pallida A. DC.
Anaphalis margaritacea (L.) Gray, & others	(Convallaria) Smilacina amplexicaulis Nutt.
See also: Adenocaulon, Gnaphalium,	S. racemosa (L.) Desf.
and Antennaria.	S. sessilifolia Nutt.
Angelica arguta Nutt.	S. stellata (L.) Desf.
Antennaria rosea Greene	Convolvulus arvensis L.
Aralia nudicaulis L.	Corallorhiza maculata Raf.
Arctium minus Bernh.	Cornus canadensis L.
A. lappa L.	C. stolonifera Michx.
Arenaria congesta Nutt.	Corydalis aurea Willd.
A. lithophila Rydb.	Crataegus columbiana Howell
A. nardifolia Hook.	C. Douglasii Lindl.
Artemisia absinthium L.	C. Williamsii Egg.
A. cana Pursh	Cymopterus glaucus Nutt.
A. dracunculoides Pursh	Cypripedium montanum Dougl.
A. frigida Willd.	Delphinium bicolor Nutt.
A. gnaphalodes Nutt.	D. scopulorum Gray, & others
A. tridentata Nutt.	Dodecatheon radicans Greene
Asclepias speciosa Torr.	Drosera rotundifolia L.
Balsamorhiza sagittata (Pursh) Nutt.	Dryopteris dilatata (Hoffm.) Underw.
Betula fontinalis Sarg.	Echinopanax horridum (SM.) T. & G.
B. glandulosa Michx.	Epilobium angustifolium L.
B. papyrifera Marsh.	Equisetum sp.
B. occidentalis Hook.	Erigeron canadensis L.
Boletus, Agaricus, Polyporus,	Erodium cicutaria (L.) L'Her.
Lycoperdon, and other fungi.	Erysimum elatum Nutt.
Bossekia parviflora (Nutt.) Greene	Erythronium grandiflorum Pursh & var.
Braunaria angustifolia (DC.) Heller	Euphorbia cyparissias L.
Caltha leptosepala DC.	Galium boreale L.
Camassia quamish (Pursh) Greene	G. trifidum L.
Campanula petiolata A. DC., & others	Gentiana calycosa Griseb.
Capsella bursa-pastoris (L.) Medic.	Geranium viscosissimum Fisch. & Mey., & others
Carduus nutans L.	Geum sp.
Ceanothus velutinus Dougl.	Glycyrrhiza lepidota Nutt.





*Gnaphalium microcephalus* Nutt.  
*G. pulustræ* Nutt.  
*Hedeoma Drummondii* Benth., & others  
*Hedysarum sulphurescens* Rydb.  
*Helenium autumnale* L.  
*Heracleum lanatum* Michx.  
*Heuchera* sp.  
*Hieracium griseum* Rydb., & others  
*Holodiscus discolor* (Pursh) Maxim.  
*Hydrophyllum capitatum* Dougl.  
*Hypericum scouleri* Hook.  
*Iris missouriensis* Nutt.  
*Impatiens ecalcarata* Blankenship, & others  
*Juncus bufonius* L.  
*Juniperus scopulorum* Sarg.  
*J. horizontalis* Moench.  
*Kalmia microphylla* (Hook) Heller  
*Lactuca pulchella* (Pursh) DC.  
*Ledum glandulosum* Nutt.  
*Lemna minor* L.  
*Lepidium perfoliatum* L.  
*L. densifolium* Schrad.  
*Liatris punctata* Hook, & others  
*Linnaea borealis* L. var. *americana*  
(Forbes) Rehd.  
*Lithospermum ruderal* Dougl.  
*Lomatium macrocarpum* (H. & A.) C. & R.,  
and others  
*Lonicera ciliosa* (Pursh) Poir  
*L. involucrata* (Rich.) Banks  
*Lycopodium clavatum* L., & others  
*Marchantia polymorpha* L.  
*Matricaria matricarioides* (Less.) Porter  
*Medicago lupulina* L.  
*Melilotus officinalis* (L.) Lan.  
*Mimulus moschatus* Dougl.  
*Monotropa uniflora* L.  
*Musineon divaricatum* (Pursh) Raf. var.  
*Myriophyllum* sp.  
*Oenothera muricata* L.  
*Opulaster malvaceus* (Greene) Kuntze  
*Pedicularis silfolia* Rydb.  
*P. groenlandica surrecta* (Benth.) Piper  
*P. racemosa* Dougl., & others  
*Persicaria Persicaria* (L.) Small  
*Pentstemon*, many spp.  
*Philadelphus Lewisia* Pursh  
*Physostegia parviflora* Nutt.  
*Pinus albicaulis* Engelm.  
*P. monticola* Dougl.  
*Plantago major* L.  
*P. lanceolata* L.  
*Populus balsamifera* L.  
*Polygonum bistortoides* Pursh  
*Potentilla anserina* L.  
*P. convallaria* Rydb.  
*P. fruticosa* L.  
*P. glandulosa* Lindl., & others  
*Prunella vulgaris* L.  
*Prunus emarginata* (Dougl.) Walp.  
*P. demissa* (Nutt) Walp.  
*P. melanocarpa* (A. Nels.) Rydb.  
*Pteris aquilina* L.  
*Pterospora Andromedea* Nutt.  
*Purshia tridentata* (Pursh) DC.  
*Pyrola asarifolia* Michx.  
*P. chlorantha* Swartz  
*P. elliptica* Nutt.  
*P. secunda* L., & others  
*Ranunculus alismaefolius* Geyer  
*R. glaberrimus* Hook.  
*R. Purshii* Richards., & others  
*Rhamnus alnifolia* L'Her.  
*Rhus glabra* L.  
*R. trilobata* Nutt.  
*Ribes lacustre* (Pers.) Poir  
*R. petiolare* Dougl.  
*R. setosum* Lindl.  
*R. viscosissimum* Pursh, & others  
*Rosa acicularis* Lindl.  
*Rumex acetosella* L., & others  
*Sagittaria cuneata* Sheld.  
*S. latifolia* Willd.  
*Salix*, many spp.  
*Sambucus melanocarpa* Gray  
*Saponaria vaccaria* L.  
*Scripus* sp.  
*Scutellaria epilobifolia* A. Hamilt.  
*S. galericulata* L.  
*Sedum stenopetalum* Pursh, & others  
*Selaginella densa* Rydb., & others  
*Senecio subaureus* Rydb.  
*Setaria* sp.  
*Shepherdia canadensis* (L.) Nutt.  
*Sium suave* Walt.  
*Solanum dulcamara* L.  
*Solidago* sp.  
*Sorbus occidentalis* (S. Wats.) Greene  
*S. scopulina* Greene  
*Spiraea lucida* Dougl.  
*Spiranthes porrifolia* Lindl.  
*Symphoricarpus racemosus* Michx.  
*S. occidentalis* Hook.  
*Tanacetum vulgare* L.  
*Taraxacum officinale* Weber  
*Thalictrum* sp.  
*Therophon majus* (A. Gray) Wheelock  
*Thuja occidentalis* L.  
*Tiarella unifoliata* Hook.  
*Tragopogon pratensis* L.  
*Trautvetteria grandis* Nutt.  
*Trillium ovatum* Pursh  
*Trollius albiflorus* (A. Gray) Rydb.  
*Typha latifolia* L.  
*Urtica* sp.  
*Valeriana* spp.  
*Veratrum speciosum* Rydb.  
*Verbena bracteata* Lag. & Rodr.  
*Veronica americana* Schwein., & others  
*Viola rugulosa* Greene  
*V. glabella* Nutt., & others  
*Vaccinium ovalifolium* Smith, & others  
*Zagadenus gramineus* Rydb.

For crude botanicals, seed, living plants, herbarium or  
study materials, in fact for any collected plant material  
native to the Northern Rocky Mountains, write

Frank H. Rose,  
1020 Poplar St.,  
Missoula, Mont.

Missouri, Mont.  
1000 Poplar St.,  
Frank H. Rose,



# WHATS IN A NAME

Here is a check list of determinations on 300 of the plants I regularly collect. Where identical Latin names are found, they refer to these same plants. Common names (page 11) are frequently local and may apply to different plants in different sections of the country.

Don't expect too much. These plants are scattered over parts of three states: Montana, northern Idaho, and northwest Wyoming. Some will be under snow until late July. Some vary from year to year in abundance and some are hard to find. I know my plants and where they grow, and will do my best to please you; but often your order can not be shipped immediately or all at one time. Photographs of many plants of this region may be found in the Government bulletins: Plants of Glacier (50¢), Yellowstone (25¢) and Rocky Mt. (25¢) National Parks. Make your tests and plantings adequate. With few exceptions, I furnish 3 plants at twice the unit price, 10 at 4 times the unit price. All plants F.O.B. Missoula. (\*) My preference as to the genus listed.

ACER GLABRUM Torr. Bush Mt. Maple.	35¢	CYSTOPTERIS FRAGILIS (L.) Bernh. Fragile Fern. 4-6" pH-5-7	10¢
ACHILLEA LANULOSA Nutt. Our native western or mountain Milfoil with long, soft leaves and snow white flowers. Plant collectors are optimists. I've listed this since I began collecting and have never sold one. White. 12-18" pH-5-7 June-Sept.	10¢	DRYOPTERIS DILATATA (Hoffm.) Underw. Spinulosa Woods Fern. 12-18" pH-6-7	25¢
*ACONITUM COLUMBIANUM Nutt. Monkshood. Usually blue, sometimes white. Collected as a fall bulb. Pale blue. 2-3' pH-6 Summer.	15¢	D. FILIX-MAS (L.) Sw. Male Fern. Tall, dark green. 2-3' pH-6-7	35¢
A. LUTESCENS A. Nels. Monkshood. Similar, but yellowish white. The two are separated by a day's drive. Do you really want one of each, or will both alike do?	15¢	MARSILIA VESTITA H. & S. Looks like a 4-leaf clover, but I can not promise you luck with it.	25¢
ACTAEA ARGUTA Nutt. Baneberry. Some with red, others with white berries on indistinguishable plants. Should be more extensively used in wild gardens. White. 2-3' pH-6-7 May-June.	25¢	*POLYSTICHUM LONCHITIS (L.) Roth. Holly Fern. 6-12" pH-7	30¢
ADENOCAULON BICOLOR Hook. Pathfinder. Large leaves, green above, white below. White. 2' pH-7 July.	20¢	P. MINUTUM (Kaulf.) Presl. Christmas Fern. 1-2' pH-6-7	25¢
ADIANTUM PEDATUM var. ALEUTICUM Rupr. Our variety of the popular Maiden-hair Fern. 12-18" pH-7	20¢	PTERIS AQUILINA PUBESCENS Underw. Bracken. Can substitute the rhizomes for potatoes if I have to. 3-5' pH-6-7	20¢
Though this is an alphabetical list, for your convenience, I list our other ferns here. All ferns are to be recommended. Choose to suit your need.		*WOODSIA SCOPULINA D.C. Eaton. 4-6" pH-6	10¢
*ATHYRIUM FILIX-FOEMINA (L.) Roth. Lady Fern. Large plants, Perhaps our easiest to grow large fern. Light green. 2-4' pH-6-7	15¢ 30¢	W. OREGANA D.C. Eaton. 6-8" pH-6	15¢
CHEILANTHES GRACILLIMA D.C. Eaton. 4-6" pH-5-7	20¢	POLYPODIUM HESPERIUM Maxon. Licorice Fern. Plentiful on the coast, but not here. 6" pH-6	25¢
BOTRYCHIUM VIRGINIANUM (Linne) Swartz. 12" pH-5-6	25¢	THELYPTERIS DRYOPTERIS (L.) Slosson. Oak Fern. 6-12" pH-6-7	15¢
*CRYPTOGRAMMA ACROSTICHOIDES R. Brown. 6-12" pH-6-7	20¢	Mixed, low-growing ferns, Doz. 1.00 " tall ferns for bedding, " 1.50 F.O.B. Missoula.	
C. DENSA (Brack.) Diels. 6-12" pH-6-7	25¢	AGASTACHE URTICIFOLIA (Benth) Kuntze. Giant-hysop. Weedy. Purple. 3-5' pH-6 July-Aug.	25¢
		ALLISMA PLANTAGO-AQUATICA L. ssp. BREVIPES (Greene) Sam. With a name like that it stands in the mud and drinks water. White. 1-3' June-Sept.	25¢
		ALLIUM CERNUUM Roth. Purple Nodding Onion. Looks better than it smells. Lavender. 12" pH-7 May.	25¢

- ALLIUM TEXTILE Nels. & Macbr. Doz. 30¢  
A small white onion, hardly  
seen except when in bloom.  
White. 6" pH-8 Apr.
- A. SIBIRICUM L. Doz. 35¢  
Siberian Onion. From the high country.
- ALSINE LAETA (Richards) Rydb. 25¢  
Artic Starwort. This and the three  
following from the high peaks.
- ALSINOPSIS PROPINQUA (Richards) Rydb. 25¢  
Alpine Sandwort.
- A. ROSSII (Richards.) Rydb. 25¢
- A. OBTUSILOBA Rydb. 25¢
- AMELANCHIER ALNIFOLIA Nutt. 35¢  
June-berry. (Dried berries 60¢ lb.)  
White. 8' pH-6-7 Apr.-June.
- ANAPHALIS MARGARITACEA (L.) Gray (form) 20¢  
Pearly Everlasting.  
White. 18" pH-5-7 May.
- ANEMONE CYLINDRICA Gray 25¢  
Wind Flower. Long seed heads.  
White. 18"-2' pH-6 May-July.
- A. GLOBOSA Nutt. 20¢  
Wind Flower. Round seed heads.  
White. 15" pH-6 May-July.
- \*A. PATENS L. 15¢  
Pasque Flower. Greater school  
urchin appeal than Buttercups.  
Purple. 6-10" pH-6-5 Apr.-May.
- A. PIPERI Britton. 20¢  
Woods Anemone. Pretty what there  
is of it.  
White. 6-12" pH-5-7 May-June.
- \*ANTENNARIA APRICA Greene. 15¢  
Cat's-paws. Dense, gray foliage mats.  
White. 6" pH-6-7 Apr.-May.
- A. CORYMBOSA E. Nels. 25¢
- A. DIMORPHA (Nutt.) T. & G. Gray. 10¢  
Not so much, but pretty in early  
spring. 4" pH-6-7 Apr.-June.
- A. ROSEA Greene. 15¢  
Rose. 8" pH-5-7 May-June.
- Many others better or worse.
- APLOPAPPUS ACAULIS var. GLABRATUS  
D.C. Eaton. Mountain Gold. 25¢  
Yellow. 4-6" pH-8 May-June.
- APOCYNUM ANDROSAEMIFOLIUM L. 25¢  
I consider Dogbane an odd and attract-  
ive plant, though a weed in some places.  
We have 6 or 7 varieties that have among  
them been called by 100 other names. If  
you want a dogbane, I'll get it if you  
want a particular dogbane I correspond  
with you. Digging them anyway for the  
drug trade, might as well list them as fls. I send little ones.  
Pink. 2-3' pH-6-7 June-July.
- AQUILEGIA FLAVESCENS Wats. 30¢  
Lemon Columbine.  
Yellow. 2-3' pH-5-7 June-July.
- ARALIA NUDICAULIS L. 35¢  
Wild Sassaparilla.
- ARCTOSTAPHYLOS UVA-URSI (L.) Spreng. 30¢  
Lots of Kinnikinnick, but good, young  
plants are scarce.  
Red berries, evergreen foliage. pH-5-6
- \*ARENARIA LITOPHILA Rydb. 15¢  
White. 6-8" pH-5-7 Apr.-May.
- A. CONJESTA Nutt. 20¢  
Knot-like heads.  
White. 6-8" pH-5-6 May-June.
- Several others if you like sandwerts.
- ARNICA CORDIFOLIA Hook. 15¢  
Yellow. 8-12" pH-5-7 Apr.
- A. LATIFOLIA Bong. 25¢  
Several others here also of which  
A. FULGENS Pursh produces flower  
heads in abundance for the drug trade.
- ARTEMISIA FRIGIDA Willd. 10¢  
Other sages, but this is most ornamental  
in the rockery. Keep it cut back for  
soft, gray foliage.
- ASARUM CAUDATUM Lindl. 25¢  
Wild Ginger. This unusual plant hides  
its brown flowers in the duff. pH-6-7
- ASCLEPIAS SPECIOSA Torr. 25¢  
Has an objectionable, milky juice,  
but attractive flowers.
- ASTER COMUTATUS var. CRASSULUS  
(Rydb.) Blake. 20¢  
A small flowered one, drought resistant.  
White. 2' pH-7 Aug.
- A. INTEGRIFOLIUS Nutt. 20¢  
A large one of moist, Mt. areas.  
Lavender. 12-18" pH-5-6 July-Aug.
- A. SCOPULORUM A. Gray. 20¢  
Violet. 4-6" pH-8 May-June.
- Have a dozen other species in my herbarium
- ASTRAGALUS GLAREOSUS Dougl. 25¢  
The different rattle-pods and vetches  
have me confused, and I doubt if you  
would order one if I listed them all.  
The Oxytropis are better.
- ATENIA, see PERIDERIDIA
- ATHYRIUM, see under ADIANTUM
- ATRAGENE, see CLEMATIS
- BALSAMORRHIZA SAGITTATA (Pursh) Nutt. 25¢  
Leaves like shields, blossoms like  
Sunflowers, roots like fence posts.  
I send little ones.  
Yellow. 1½-2' pH-7-8 April.

BATRACHIUM TRICHOPHYLLUM (Chaix.) Bosch. 25¢  
Water Buttercup. Grows on stream  
bottom in running water.

BERBERIS REPENS Lind. 30¢  
Creeping Oregon Grape. Makes good  
jelly when you have sugar.  
Yellow. 1' pH-5-7 May.

BESSEYA CINEREA (Raf.) Penn. 20¢  
Kitten-tails.  
Red. 6-12" pH-6-8 Apr.-May.

B. RUBRA (Dougl.) Rydb. 20¢  
They are different, but not to  
the casual observer. If you don't  
care which, leave it to me.

BISTORTA, see POLYGONUM

BOSSEKIA PARVIFLORA Greene. 35¢  
Thimbleberry.  
White. pH-6-7 June-July.

BOYKINIA MAJOR A. Gray. 25¢  
This big saxifrage looks much like  
false bugbane (Trautvetteria grandis)  
until it blooms. I grow them together  
and point out the difference to show  
how smart I am.  
White. 2' pH-5-6 June.

BRODIAEA DOUGLASII S. Wats. bulbs. 10¢ 75¢  
Wild blue Hyacinth. 18" pH-7 May.

\*CALOCHORTUS APICULATUS Baker. bulbs. 10¢ 50¢  
Small Cat's-ear with yellow hairs.  
This is just my preference. They are  
too different to choose one for you.  
White. 6-10" pH-5-6 May-June.

C. ELEGANS Pursh. 10¢ 50¢  
Small Cat's-ear with purple hairs.  
4-8" pH-5 June-July.

C. MACROCARPUS Dougl. 10¢ 50¢  
Large lavender lily of the sage  
brush area.  
10-15" pH-7 June-July.

C. NITIDUS Dougl. 10¢ 50¢  
Large mountain Mariposa Lily.  
White with purple spots.  
10-15" pH-5-6 June-July.

C. NUTTALLII Torrey. 10¢ 50¢  
Similar. From east of the mountains.  
10-20" June-July.

Other bulbs:

ALLIUM CERNUUM	5¢ 25¢
A. TEXTILE	5¢ 35¢
CLAYTONIA LANCEOLATA	10¢ 35¢
ERYTHRONIUM GRANDIFLORUM	10¢ 50¢
FRITILLARIA PUDICA	10¢ 35¢
TRILLIUM OVATUM	15¢ 50¢
ZAGADENUS GRAMINEUS	10¢ 35¢

Bulbs collected when mature but order  
early. Active plants are packed in damp  
sphagnum. Cultural directions given,  
and satisfactory condition upon  
arrival guaranteed.

Dormant roots: Each. Doz.  
ARNICA CORDIFOLIA 10¢ 35¢  
HYDROPHYLLUM CAPITATUM 15¢ 50¢  
LEWISIA REIDIVIVA 15¢ 50¢  
MERTENSIA LONGIFLORA 15¢ 50¢  
DELPHINIUM BICOLOR 10¢ 35¢  
DODECATHEON CUSICKII 10¢ 35¢  
RANUNCULUS GLABERRIMUS 5¢ 35¢

See also:

ACONITUM  
PERIDERIDIA  
POLYGONUM

Fully dormant plants look dead, but  
are alive. They are harder to find  
when dormant, but safer to move.

CACTI, zero hardy.

See OPUNTIA & CORYPHANTA

CALTHA LEPTOSEPALA DC. Each 20¢

Marsh Marigolds are best in wet places  
near cold, running water.  
White. 8-12" May-June.

C. ROTUNDIFOLIA (Walt.) Greene. 20¢  
Another species of chiefly  
botanical significance.  
White. 8-12" May-June.

CALYPSO BULBOSA (L.) Oakes. 20¢  
Well known fairy's Slipper. Grows in  
damp, cool woods.  
Pink. 2-4" pH-6-7 June.

CAMPANULA PETIOLATA A. DC. 20¢  
Scotch Bluebell, or C. PARRYI var.  
IDAHOENSIS McVaugh. Mention the variety  
because I collected the type specimen,  
but I didn't recognize the difference.  
Blue. 10-15" pH-6-7 All summer.

CAMASSIA QUINASH (Pursh) Greene. bulbs. 5¢  
Blue. 18" pH-5-7 May-June. Doz. 25¢  
"Lost Lake" in Yellowstone Park may  
have been a meadow of these flowers.

CAREX FILIFOLIA Nutt. 20¢  
Nigger-wool Sedge. A dry site grass-  
like plant. 6" A sedge for any site  
available.

\*CASTILLEJA HISPIDA Benth. 25¢  
Paint-brush of well drained hillsides.  
Red to orange. 12" pH-7-8 May.

C. MINIATA Dougl. 25¢  
Red Paint-brush for damp bottoms.  
Red. 12-18" pH-5-7 May.

C. SEPTENTRIONALIS Lindl. 25¢  
Nearly white, woods type. Paint-  
brushes are pretty and pretty hard  
to transplant.

CEANOTHUS VELUTINUS Dougl. 50¢  
Snow Brush. An evergreen shrub of  
the mountain hillsides.  
White. 3-5" pH-6 May-June.

CENTAUREA MACULOSA Lam. 25¢  
Star Thistle. Who would want a  
thistle? Pretty, but aggressive.  
Purple. 5' pH-6-7 June-Aug.



- CERASTIUM ARVENSE* L. 15¢  
 Might find *C. STRICTUM* L. if you prefer thinner leaves, or *C. EARLEI* Rydb. from the home of the Big Horn sheep if you like the leaves wider. White. 6" pH-8-7 Apr.
- CHAENACTIS DOUGLASII* (Hook.) H. & A. 20¢  
 Bride's-bouquet. Biennial. Looks quite different after the first year. White. 1-2' pH-7-8 Summer.
- CHAMAENERION*, see *EPILOBIUM*
- CHIMAPHILA UMBELLATA* (L.) Nutt. 30¢  
 Pipsissewa. One source of oil of Wintergreen. Pink. 6-12" pH-6-7 June-Aug.
- CHRYSOPSIS VILLOSA* (Pursh) Nutt. 15¢  
 Golden Aster of waste places. Yellow. 12" pH-7 May-June.
- CHRYSOETHAMNUS* sp. Rabbit Brush. 25¢  
 Yellow. 3' Dry site. pH-7-8 July.
- CIRSIIUM FOLIOSUM* (Hook.) DC. 25¢  
 Evert's Thistle of Yellowstone Park. We have a number of food plants we don't recommend even under rationing. Ea. Doz.
- CLAYTONIA LANCEOLATA* Pursh. bulbs 10¢ 35¢  
 A desirable Spring Beauty, despite the gnats and mosquitoes where I dig them. White. 2-4" pH-5-7 Apr.-June.
- C. MEGARRHIZA* (A. Gray) Parry. Each 25¢  
 Big-rooted Spring Beauty.
- C. PERFOLIATA* Donn. 15¢  
 Miner's Lettuce. "Edible in salads." Well maybe, don't like salads anyway. White. 6-8" pH-7 May.
- \**CLEMATIS COLUMBIANA* (Nutt.) T. & G. 25¢  
 Atragene. Try this trailing purple clematis and Vine Honeysuckle (*Lonicera ciliosa*) on a shaded wall. Purple. 10' vine. pH-6-7 June.
- C. HIRSUTISSIMA* Pursh. 30¢  
 The Urn-flowered Clematis. Blue. 1-2' pH-6-7 June.
- C. LINGUSTICIFOLIA* Nutt. 30¢  
 White flowered vine for fences and sunny banks. White. 15' pH-7-8 June-July.
- CLINTONIA UNIFLORA* (Schult.) Kunth. 15¢  
 Queencup. White flowers followed by a single, large, porcelain blue berry. White. 6" pH-5-7 June.
- CLARKIA PULCHILLA* Pursh. (seed only)  
 Named for Clark of the Lewis & Clark expedition. Annual. Pink. 8" pH-5-7 June.
- COLLOMIA DEBILIS* (S.Wats.) Green. 25¢  
 Perennial Collomia from the rock slides. Blue. 6-8" pH-5-6 May-June.
- COMMANDRA PALLIDA* A. DC. 25¢  
 Toad-flax, but unlike either toad or Flax. White. 12" pH-7 Apr.-July.
- COPTIS OCCIDENTALIS* (Nutt.) Torr. & Gray 15¢  
 Gold-thread (from the yellow root). White. 6" pH-5-7 May-June.
- CORALLORRHIZA MACULATA* Raf. 25¢  
 Coral Root.
- CORNUS CANADENSIS* L. 25¢  
 Bunchberry. White. 6" pH-5-6 June-July.
- C. STOLONIFERA* Michx. 25¢  
 Red-osier Dogwood. Prune back for red winter twigs. White. 8' pH-6-8 May.
- CORYDALIS AUREA* Willd. 25¢  
 Golden Corydalis.
- CORYPHANTA VIVIPARA* (Nutt.) Britton & Rose. 20¢ up.  
 Purple flowers, green fruits. What size please?
- C. MISSOURIENSIS* (Sweet) Britton & Rose. 20¢  
 Smaller straw-colored flowers. Red fruits in spring more showy than the summer flowers.
- CORYPHANTAS* are of the ball or pin-cushion type. More peaceful than *Opuntias*. *C. missouriensis* may be handled barehanded.
- CRYPTANTHA SHELTONII* (Brand.) Payson. 20¢  
 Popcorn Flower. No, don't eat it. White. 9-12" May-June.
- CRYPTOGRAMMA*, see under *ADIANTUM*
- CYPRIPEDIUM FASCICULATUM* Kellogg. 50¢  
 Twin leaves halfway up stem & cluster of small reddish flowers. Red. 8" pH-5-6 June-July.
- \**C. MONTANUM* Dougl. 1.00  
 White Lady's Slipper. This orchid poisonous to a few people including me. White. 12-18" pH-5-6 May-July.
- CYSTOPTERIS*, see under *ADIANTUM*
- \**DELPHINIUM BICOLOR* Nutt. 10¢  
 An easy, showy, dwarf Larkspur. Could get *D. SCOPULORUM* Gray or *D. MENZIESII* DC. Royal blue. 8-12" pH-6-8 May.
- DISPORUM TRACHYCARPUM* (S.Wats.) Benth. 25¢  
 & Hook. False Solomon's Seal. Yellow. 1-2' pH-5-7 May-Aug.
- DODECATHEON PAUCIFLORUM* (Durand) Greene. var. *CUSICKII* (Greene) Mason. Clumps 10¢  
 Smaller than its name, but pretty. Spring, or dormant in fall. Purple. 8" pH-5-7 Apr.-June.
- D. CONJUGENS* Greene or var. 15¢  
 Purple. 6" pH-7-8 May-June.

- D. PAUCIFLORUM (Durnad) Greene. 10¢  
Purple. 8" pH-5-6 June.
- D. RADICATUM Greene. 25¢  
A large one for a cool, wet place.  
Blooms on the way up.  
Pink. Up to 2' pH-5-6 May-June.
- DOUGLASIA MONTANA Gray. 20¢  
Moss Pink. Difficult unless suited,  
but hardly anything better if it does  
well.  
Pink. 2" pH-7-8 Apr.
- DROSACE CARINATA (Torr.) A. Nels. 25¢  
Rock Jasmine, resembles Douglasia.
- DROSERA ROTUNDIFOLIA L. 25¢  
A bog plant, quite small.
- DRYOPTERIS, see under ADIANTUM
- DRYAS DRUMMONDII Richards. 25¢  
Yellow Mt. Avens.
- D. OCTOPETALA L. 25¢  
Mountain Avens.
- ECHINOPANAX HORRIDUM (Sm.) T. & G. 35¢  
ex. Miq. Devil's Club.  
Not unlike its name.  
White. Red berries. 3-6' June.
- ELAEAGNUS ARGENTEA Pursh. 35¢  
Silverberry.
- ELEOCHARIS FLACCIDA (Raithb.) Urban. 20¢  
Spike Rush, bog.
- EPILOBIUM ANGUSTIFOLIUM L. 25¢  
Fireweed. Often follows a forest  
fire and rather looks like one.  
Rose. 3-5' pH-5-7 June.
- EQUISETUM sp. 20¢  
Marestail or Horsetail as you prefer.  
A scouring rush.
- ERIGERON, Daisy to you.  
Of 15 in my herbarium I recommend:
- ERIGERON COMPOSITUS Pursh. 10¢  
White, because it is easy to get.  
White. 4-6" pH-7-8 Apr.
- E. CONCINNUS (H. & A.) T. & G. 20¢  
Small blue, because it is easy to  
grow. Or, E. CORYMBOSUS Nutt. or  
E. DIVERGENS T. & G. similar. If you  
are particular as to species, add 5¢.  
Blue. 8-12" pH-6-7 May-Aug.
- E. COULTERI Porter. 25¢  
A large white one.  
White. 8-12" pH-5-6 July-Aug.
- E. MACRANTHUS Nutt. 25¢  
A large blue one.  
Blue. 12-18" pH-6-7 July-Aug.
- E. SALSUGINOSUS (Richards.) Gray. 25¢  
Similar.  
Lavender. 12-18" pH-5-6 July-Aug.
- E. TRIFIDUS Hook. 25¢  
White. The cutest little one of  
the lot.  
White. 2-4" pH-7-8 Apr.-July.
- \*ERIOGONUM OVALIFOLIUM Nutt. 20¢  
Small gray with white to rose flowers.  
White. 3" pH-7 Apr.-May.
- E. PIPERII Greene. 25¢  
or E. FLAVUM Nutt.  
Medium green with yellow flowers.  
Yellow. 6" pH-5-7 Apr.-May.
- E. SUBALPINUM Greene. 25¢  
Larger, yellowish-white flowers  
turning rose with age.  
Cream. 12" pH-5-7 May-July.
- We have many other ERIOGONUMS.
- ERIOPHORUM CHAMISSONIS C. A. Mey. 25¢  
Cream puffs. 8-12" pH-5 Bog. July.
- \*ERIOPHYLLUM LANATUM (Pursh) Forbes var. 25¢  
Oregon Sunshine. If your colors are  
blue & gold, scatter seed of this  
and Pentstemon missouliensis on a  
medium moist, gravelly, sunny bank;  
but don't expect flowers till the  
second year.  
Golden. 12-13" pH-5-6 May-Aug.
- E. LANATUM var. INTEGRIFOLIUM 25¢  
(Hook.) Smiley.  
Small Oregon Sunshine.  
Golden. 6-12" pH-5-6 May-Aug.
- ERIODIUM CICUTARIUM L'Her. 25¢  
Stork's Bill. Little, but comes  
back like red ants.  
Pink. Creeping. All summer.
- ERITRICHIMUM ELONGATUM (Rydb.) Wright. 25¢  
Alpine For-get-me-not.
- E. HOWARDII (A. Gray) Rydb. 25¢  
Alpine For-get-me-not. Neither  
accessible, but I get to them sometimes.
- ERYTHRONIUM GRANDIFLORUM Pursh or var. 10¢  
Glacier Lily. Per doz. 50¢  
Yellow. 12" pH-5-7 Apr.-May.
- ERYSIMUM ELATUM Nutt. 15¢  
Western Wall Flower.  
Orange-yellow. 12-18" pH-7-8 Apr.-June.
- EUPHORBIA CYPARISSIAS (L.) Lam. 25¢  
Attractive if kept under control. 3'
- FRASERA SPECIOSA Griseb. 25¢  
This is further south. I see it  
about once a year.
- FRITILLARIA PUDICA (Pursh) Spreng. 10¢  
Yellow-bell. Per doz. 35¢  
One of our earliest spring bloomers.  
Yellow. 6-8" pH-7-8 Apr.
- GAILLARDIA ARISTATA Pursh. 20¢  
Blanket Flower.  
Red-yellow. 18" pH-7 May.

GALIUM BOREALE L. White. 12-18" pH-5-7 May.	20¢	LAPPULA DIFFUSA (Lehm) Greene. Stick seed.	25¢
GAURA COCCINEA Nutt. ex Pursh. Butterfly weed.	25¢	LEDUM GLANDULOSUM Nutt. Labrador Tea. No stamp tax added. White. 3' pH-5-6 July-Aug.	35¢
*GENTIANA CALYCOSA Griseb. Deep blue. 10" pH-5-6 Aug.-Sept.	30¢	LETTICA MINOR L. Duck Weed. Per doz. 10¢ Small, floating plants.	
G. ROMANOVII Ledeb.	25¢	LESQUARIELLA UTAHENSIS Rydb. Yellow. pH-7-9 Apr.-May.	25¢
GERANIUM VISCOSISSIMUM F. & M. Red. 12" pH-7 May-on	25¢	*LENTICIA PEDIVIVA Pursh. Bitterroot. State flower of Montana. Pink. 3" pH-6-7 June.	15¢
GEUM sp.	15¢	L. HILLII A. Nels. Too small to amount to much.	20¢
GILIA AGGREGATA (Pursh) Spreng. var. LUTEA Gray. Biennial. The first choice of our humming-birds. Scarlet. Up to 2' pH-6-7 May-June.	15¢	LIATRIS PUNCTATA Hook. Blazing Star. Purple. 12" May-July.	25¢
GYMNOGONIA LEPIDOTA Nutt. Licorice. A drug plant rather than a garden flower.	25¢	LICUSTICUM FILICINUM Wats. var. TENUIFOLIA (Wats.) N. & C. Fragrant-rooted Parsnip.	20¢
GOODYERA DECIPIENS (Hook.) Hubbard. Rattlesnake Plantain. White. 10" pH-5-7 May-July.	15¢	LINARIA BOREALIS L. var. AMERICANA Forbes, Fobd. Twin-flower. Pink. 4" pH-5 Apr.-May.	25¢
GUTTEREZZIA SAROTHAERAE (Pursh) B. & R. Turpentine Weed. Yellow. 12" pH-7-9 Summer.	25¢	LINUM LEWISII Pursh. Blue Flax. Blue. 18-24" pH-8-7 June-July.	20¢
HABENARIA DILATATA (Pursh.) Hook. White flowered bog orchis.	25¢	LISTERA CORDATA (L.) R. Br. Greenish. 10" pH-5-6 June-Aug.	15¢
H. SACCATA Greene. Green flowered bog orchis.	25¢	LITHOPHRACIA BULBIFERA Rydb. White. 8-10" pH-6-7 Apr.-May.	10¢
H. sp. Wood Orchis. For a dryer site than above.	20¢	L. PARVIFLORA (Hook.) Nutt. White. 10-14" pH-6-7 Apr.-May.	10¢
HERACLEUM LANATUM Michx. Cow Parsnip where you need a rank coarse foliage.	25¢	*LITHOSPERMUM ENCISSUM Lehm. Yellow. 6" pH-7-8 Apr.-June.	25¢
HEUCHERA CYLINDRICA Dougl. var. GLABELLA (T. & G.) Wheelock. I like its resourcefulness. Cream. 1½' pH-5-7 May-June.	20¢	L. RUDERALE Dougl. Pale yellow. 12-18" pH-7-8 June-July.	25¢
HIPPURIS VULGARIS L. Marestail. Aquatic. 2'	25¢	LOMATIUM MACROCARPUM (H. & A.) C. & R. White. 10-14" pH-7 May.	15¢
HYDROPHYLLUM CAPITATUM Dougl. Dormant roots, fall. Blue. 6" pH-6-7 May-July.	15¢	LONICERA CILIOSA (Pursh) Poir. Vine Honeysuckle. Red flowers.	35¢
HYPERICUM SCOULERI Hook. Attractive and not a weed here. Yellow. 8-12" pH-6-7 July.	25¢	LUPINUS BURKEI Wats. Blue. 1-3' pH-5-6 June-July.	25¢
IONACTIS, see ASTER SCOPULORUM		L. FOLIOSUS Nutt. Blue. 1-2' pH-5-6 June-July.	25¢
IRIS MISSOURIENSIS Nutt.	10¢	L. LYALLII Gray. Light blue. 6-12" pH-6 July.	25¢
JUNCUS CONFUSUS Coville.	20¢	L. HELLERAE Heller. Blue. 1½-2' pH-7 May.	25¢
KALMIA MICROPHYLLA (Hook.) Heller. An evergreen bordering bogs. Pink. 2' pH-4-5 June-Aug.	35¢	If you are not particular as to species of Bluebonnet, deduct 5¢	
Tree or Drug lists upon request.		A wildflower seed mixture suitable for roadside planting, \$1.00 per oz. \$12. lb:	



LUZULA MULTIFLORA (Ehrh.) Lejeune. or other of the Wood-rushes.	20¢	MYRIOPHYLLUM sp. (SPICATUM?) Parrotfeather. For aquarium. Blue. 18-2' pH-6-7	20¢
LYCOPODIUM CLAVATUM L. and other Club Mosses.	25¢	NYPHAEA POLYSEPALA (Engelm.) Greene Yellow Waterlily. Summer.	35¢
LYGODESMIA JUNCEA (Pursh) D. Don. (Shelton weed) A. flowering herb of the dry plains, resembling a rush.	25¢	OENOTHERA CAESPITOSA Nutt. Evening Primrose. White. 3-6" pH-8 May-July.	25¢
LYSICHITON KAMTSCHATCENSIS Scott. Leaves less durable than the fig, but more ample up to 1½ x 3'	35¢	OPHRYS, see LISTERA	
MAHONIA, see BERBERIS		OPULASTER BRACTEATUS Rydb. White. 5' pH-5-6 June.	35¢
MALVASTRUM COCCINEUM (Pursh) Gray. Orange-scarlet. 6-10" pH-8 Aug.	15¢	OPUNTIA FRAGILIS (Nutt.) Haw. Round leaves, yellow flowers. Not over 15¢ 4-6" pH-7-8	5¢ up.
MARSILEA, see under ADIANTUM		O. POLYCANtha Haw. Prickly Pear. Flat leaves, yellow flowers. What size do you want? 20° below zero wont kill either of these Opuntias.	10¢ up.
MENTZELIA DECAPETALA (Pursh) U. & G. Showy biennial of barren banks.	20¢	OROGENIA LEIBERGI (C. & R.) N. combined. Turkey Peas. White. 4-6" pH-5 May.	25¢
*MERTENSIA LONGIFLORA Greene. Blue. 4-6" pH-6-7 Apr.-May.	15¢	ORTHOCARPUS TENUIFOLIUS (Pursh) Benth. Owl Clover (annual). Seeds only. This and Clarkia grow together. Pink. 6-8" pH-6-7 June-July.	
M. OBLONGIFOLIA (Nutt) G. Don. American Bluebell. Blue. 6-8" pH-6-8 May.	20¢	*OXYTROPIS PARRYI Gray or O. OREOPHILA Gray. Loco. Purple. 3-6" pH-7-8 Apr.-May.	25¢
M. OBLONGIFOLIA var. NEVADENSIS (A. Nels.) L. O. Williams.	20¢	O. ALBIFLORA (A. Nels.) K. Schim.	25¢
M. PANICULATA var. BOREALIS (Macbr.) L. O. Williams. Blue. 2-3' May.	30¢	PACHYSTIMA MYRSINITES (Pursh) Raf. Mountain Lover. Evergreen shrub. 3' pH-5-7	25¢
MIMULUS GUTTATUS DC. Yellow. up to 24" June.	15¢	PARNASSIA FIMBRIATA Konig. Grass of Parnassus. For streamside. White. 6-12" pH-5-6 June-Sept.	25¢
*M. LEWISII Pursh. Red. 12-18" May-June.	25¢	PARONYCHIA SESSILIFLORA Nutt. Whitlow-wort. pH-8	25¢
M. MOSCHATUS Dougl. Yellow, creeping. 3-6" June-Sept.	25¢	PERAMIMUM, see GOODYERA	
MITELLA NUDA L. Greenish-white. 8-14" pH-5-7 May-July.	15¢	PEDICULARIS CONTORTA Benth. Fern-leaf Lousewort.	25¢
M. STAUIOPOTALA Piper.	15¢	*P. GROENLANDICA var. SUPRECTA (Benth.) Piper. Flowers: pink elephant heads; trunk, ears and all. Pink. 12-18" pH-5 July.	20¢
M. TRIFIDA Grahm. And others.	15¢	P. RACEMOSA Dougl. White Lousewort. White. 12" pH-5-6 July-Aug.	25¢
MOEHRINGIA LATERIFLORA (L.) Fenzl. Sandwort.	15¢	P. SILFOLIA Rydb. Cream.	25¢
MONARDA MENTHAEFOLIA Grahm. Lavender. 1-1½' pH-6-7 June-July.	20¢	PENTSTEMON ARIDUS Rydb. Inured to substandard living. Blue. 6-8" pH-7 June-July.	25¢
MONESES UNIFLORA (L.) A. Gray. White. 2-4" pH-5-6 June.	20¢		
MUSINEON DIRARICATUM (Pursh.) Raf. var. HOOKERI (Nutt.) Mathias. Yellow. 6" pH-7-8 Apr.-May. For white Parsnip, see LONATUM	20¢		
MYOSOTIS sp. A rank perennial with tiny blue fls. Blue. 2-3' pH-5-7 June-July.	25¢		

P. CONFERTUS Dougl. White. 6-18" pH-6 June-July.	25¢	Soil acidity is expressed herein as pH- and a figure. pH-7 is neutral. Higher figures are alkaline lower acid. Drain- age, moisture, light and temperature are of at least equal importance. Best to order plants in quantity and try in somewhat varied situations.	
P. ERIANTHERUS Pursh. or var. SALIENS Large, mottled flowers. Lavender, under 12" pH-7 May-June.	15¢		
P. FRUTICOSUS (Pursh) Greene. Woody shrub. Blue. 2' pH-5-6 June.	30¢		
P. KIRKWOODII Penn. Abundant on a mountain in Idaho where I always wish to go but seldom do. Cream-white. 8-12" pH-6 June-July.	25¢		
P. MICRANTHUS Nutt. Knothead flower clusters. Blue. 10-18" pH-6-7 June-July.	20¢		PHYSARIA GEYERI (Hook.) Gray. 25¢ Twinnod.
*P. MISSOURIENSIS Penn. My home town Pentstemon. Intense blue, abundant flowers. Blue. 8-12" pH-7 May-June.	20¢		Yellow. 4-6" pH-7-8 May.
*P. NITIDUS Dougl. Long, gray leaves, sky-blue fls. Lazy growth habit, but fruits abundantly. Blue. 8-10" pH-7-9 May-June.	20¢		PHYSOSTEGIA PARVIFLORA Nutt. 25¢ Likes its feet wet. Rose-purple. 1-3' pH-6-7 June-Aug.
P. OVATUS PINETORUM Piper. = *P. WILCOXII Rydb. Fairly large growing, but desirable. Best in shady, wild garden. Blue. 1-3' pH-5-7 May-July.	20¢		*POLEMONIUM HAYDENII A. Nels. 15¢ Rock slides. Blue white. 12" pH-5-6 May-Aug.
PERIDERIDIA GAIRDNERI (H. & A.) Mathias. 10¢ Squaw-root. Dormant. per doz. 35¢			P. OCCIDENTALE Greene. 25¢ Bog.
PHACELLA HETEROPHYLLA Pursh. or, P. LEUCOPHYLLA Torr.	10¢		P. CONFERTUM A. Gray. 25¢ Mt. valleys.
PHILADELPHUS LEWISII Pursh. Mock Orange. Fragrant flowered shrub. White. 8' showy. pH-6-7 June-July.	35¢		PERSICARIA, see POLYGONUM
*PHLOX BRYCIDES Nutt. Compact, caespitose gray foliage. Abundant 80 miles from here. Small, blue-white fls. pH-8 May-June.	15¢		POLYGONUM AMPHIBIUM Hook. 30¢ Water Lady's Thumb.
*P. CAESPITOSA Nutt. ssp. Nova FOLIOSA inod. Wherry. This and the following three, larger flowered caespitose phloxes. Pink-caespitose. pH-7 May.	25¢		*P. BISTORTOIDES Pursh. 15¢ Dormant root fall. June-July. Pinkish white. 12-18" pH-5-6 Doz. 50¢
P. DIFFUSA Benth. ssp. SCLERANTHIFOLIA (Rydb.) Wherry. Lilac-caespitose. pH-5 June.	25¢		P. BISTORTA var. LINEARIFOLIUM 15¢ S. Wats.
*P. DOUGLASII Hook. ssp. MISSOULIENSIS Wherry. Known only from one hill. Blue-caespitose. pH-7 May-June.	25¢		P. VIVIPARUM L. 15¢
P. DOUGLASII Hook. ssp. RIGIDA (Genth.) Wherry. Resembles above, but more bush- like in growth. Blue. 4-6" pH-6-7 May.	25¢		POLYSTICHUM, see under ADIANTUM
PHYLLODOCE EMPETRIFORMIS (Sm.) G. Don. 35¢ Evergreen. Red fls. 1' pH-5 July.			*POTENTILLA CONVALLARIA Rydb. 20¢ Cream-white. 10-18" pH-7 Apr.-May.
			*P. FRUTICOSA L. 35¢ Shrubby Cinquefoil. Yellow. 2' pH-5-6 June-July.
			P. NUTTALLII Lehm. 25¢ Yellow. 1½-2' pH-6 July.
			P. ANSERINA L. var. SERICEA Hayne. 20¢ Yellow. Low. pH-6 Summer.
			And about 75 other species. If just any Cinquefoil will do. 10¢
			PRENANTHES ALATA (Hook.) D. Dietr. 25¢ Resembles Senecio, but white fls.
			PRUNELLA VULGARIS L. 20¢ Hairbell. Blue. 6" pH-6 June.
			PRUNUS EMARGINATA (Dougl.) Walp. 35¢ Bitter Cherry.
			P. MYLANOCARPA (A. Nels.) Rydb. 20¢ Chokecherry. White. 10' pH-7 June.
			PURSHIA TRIDENTATA (Pursh) DC. 35¢ Bitter-brush. Shrub for dry places. Yellow fls. 8' pH-7-8 June.

PYROLA ASARIFOLIA Michx. Large, pink fls. Leaf blades broader than long. Pink. 4-12" pH-5-7 May-June.	25¢	RUBACER, see BOSSEKIA	
P. CHLORANTHA Swartz. Leaf blades orbicular, shorter than leaf stem. Greenish-white. pH-5-7 June.	25¢	RUMEX ACETOSELLA L. Mountain Sorrel. Pretty, but a weed.	10¢
P. ELLIPTICA Nutt. Leaf blades oval, longer than leaf stem. White. pH-6 June-July.	25¢	SAGITTARIA CUNEATA Shold. White. 8-2' Bog. July-Sept.	25¢
P. ULIGINOSA Torr. Large; leaf blades longer than broad. Pink. pH-7 June.	25¢	*SAMBUCUS GLAUCA Nutt. Blue berried Elder. White fls. 15' pH-6 June.	35¢
P. SECUNDA L. Small white. pH-5-6 June.	25¢	S. MELANOCARPA A. Gray. Black berried Elder.	35¢
Just PYROLA, small white, large pink,	15¢	S. PUBENS Michx. Red berried Elder.	35¢
*RANUNCULUS GLABERRIMUS Hook. Early. For sunny, sandy sites. Waxy yellow. 2-5" pH-6-7 Apr.	20¢	SAXIFRAGA ARGUTA D. Don. Stream side. White. 8-10" pH-5-6 July-Aug.	25¢
*R. MONTANENSIS Rydb. Consistant bloomers on damp ground. Yellow. 1-2' pH-5-6 June-July.	10¢	*S. BRONCHIALIS L. var. AUSTROMONTANA (Wieg.) Piper. From the rock slides. White-pink dots. 4-8" pH-5-6 May-July.	25¢
P. PURSHII Richards. Water Buttercup.	20¢	S. FLAGELLARIS Willd. Yellow Saxifrage.	25¢
*RHUS GLABRA Greene. Scarlet Sumac. Bright fall colors. 4-6' pH-7	25¢	S. MONTANENSIS Small. Similar to S. Nivalis L. Damp slopes.	15¢
R. TRILOBATA Nutt. Lemonade Sumac. Indians made (good?) lemonade from berries. Red berries. 5' pH-7-8	25¢	SCIRPUS MICROCARPUS Pneal.	35¢
RIBES AMERICANUM Mill. Black Currant.	20¢	SCUTELLARIA EPILOBIFOLIA A. Hamilt.	25¢
*R. CEREUM Dougl. Squaw Currant.	20¢	SEDUM DOUGLASSII Hook.	25¢
R. LACUSTRE (Pers.) Poir. 6 flowered Gooseberry. Swamp Currant.	35¢	S. INTEGRIFOLIUM (Raf.) A. Nels. King's Crown.	25¢
R. PETIOLARE Dougl. = R. HUDSONIANUM Richards. Hudson Bay Currant.	35¢	*S. LEIBERGII Britton.	15¢
R. SETOSUM Lindl. Long spined Gooseberry. Missouri Gooseberry.	35¢	*S. STENOPTALUM Pursh. Yellow. 4-6" pH-5-7 May-June.	10¢
R. VISOSISSIMUM Pursh. Sticky Currant. My choice is the Squaw Currant for dryer sites and R. Americanum or R. Petiolare for stream side.	25¢	SELANGINELLA DINSA Rydb. or other mosses. pH-5-7	20¢
ROSA ACICULARIS Lindl.. Single, wild Rose. Pink. 2-6' pH-6-7 June.	35¢	SENECIO PURSHIANUS Nutt.	15¢
		SERICOTHECA DISCOLOR (Pursh) Rydb. Ocean Spray. White. 5-7' pH-6 July.	35¢
		SHEPHERDIA CANADENSIS (L.) Nutt. Buffalo Berry. Leaves green above, white below. Red berries.	35¢
		*SIEVERSIA CILIATA (Pursh) G. Don. Purple Avens. Rose. 8-12" pH-6-7 May-June.	20¢
		S. TURBINATA (Rydb.) Greene.	20¢
		SILENE ACAULIS L. Carpet Pink.	20¢
		S. MAZZIESII Hook.	25¢
		Samples of my selection from the best found on a collecting trip, 20 plants for 1.00 A nice way to repay a favor.	

<i>SMILACINA AMPLEXICAULIS</i> Nutt. False Solomon's Seal. White. 1-2' pH-6-7 June.	15¢	<i>SYNTHYRIS MISSOURICA MAJOR</i> (Hook.) Penn Evergreen. The flowers suggesting a blue Grape Hyacinth, but nowhere as abundant as I would like.	25¢
<i>S. RACEMOSA</i> (L.) Desf.	20¢	Blue. 8-12" pH-7 May-June.	
<i>S. STELLATA</i> (L.) Desf. Wild Lily-of-the-valley. White. 8-12" pH-6-7 May-June.	15¢	<i>S. LACINIATA</i> (A.Gray) Rydb. About $\frac{1}{2}$ as large as S. M. Major.	25¢
<i>SOLIDAGO ELONGATA</i> Nutt. Tall Goldenrod. Compact fl. clusters. Yellow. 1-3' pH-6-7 July-Aug.	20¢	<i>THELYBTERIS</i> , see under <i>ADIANTUM</i>	
<i>S. MISSOURIENSIS</i> Nutt. Dwarf Goldenrod. Yellow. 6-8" pH-7-8 June-Aug.	20¢	<i>THERMOPSIS MONTANA</i> Nutt. Goldenpea.	25¢
<i>S. SEROTINA</i> Ait. Tall Goldenrod. Open fl. clusters. Yellow. 18" pH-6-7 July-Aug.	20¢	<i>THALICTRUM</i> sp. Meadow Rue. White. 2-3' pH-5-7 May-June.	15¢
Goldenrods would be better thought of if they stayed home more.		<i>TIARELLA UNIFOLIATA</i> Hook. Lace Flower. White. 8-12" pH-6-7 Aug.-Sept.	15¢
<i>SORBUS SCOPULINA</i> Greene. White. 8' Red fruit.	35¢	<i>TOFIELDIA INTERMEDIA</i> Rydb.	25¢
<i>SPERGULARIA RUBRA</i> (L.) J. & C. Prasl. A moss-like chickweed. White matted. pH-5-6 June.	25¢	<i>TOWNSENDIA SERICEA</i> Hook. White. 2" pH-8 Apr.-May.	25¢
<i>SPHAERALCEA RIVULARIS</i> (Dougl.) Torr. Wild Hollyhock. Pink. 3-5' pH-6-7 July-Aug.	30¢	<i>TRAUTVETTERIA GRANDIS</i> Nutt. Bugbane. White. 3' pH-6-7 July.	25¢
<i>SPIRAEA DENSIFLORA</i> Nutt. Red fls. 3' pH-5-7 June-July.	35¢	<i>TRILLIUM OVATUM</i> Pursh. Dormant crotch fall. Doz. 50¢ White. 8-12" pH-5-7 Apr.-May.	15¢
<i>S. LUCIDA</i> Dougl. White fls. 2' pH-5-7 June-July.	25¢	<i>TROLLIUS ALBIFLORUS</i> (A.Gray) Rydb. Globe-flower. Cream white. 4-20" pH-5-6 May-June.	20¢
<i>SPIRANTHES PORRIFOLIA</i> Lindl. Lady's Tresses. Pretty with white hair closely braided and feet like big bugs. 6-8" pH-5 Bogs. Aug.	25¢	<i>TYPHA LATIFOLIA</i> L. Cat-tail.	25¢
<i>SPIRODELA POLYRHIZA</i> (L.) Schleiden. Like green butterflies on your aquarium. Doz. 20¢	5¢	<i>VACCINIUM OVALIFOLIUM</i> Smith.	35¢
<i>SPRAGUEA MULTICEPS</i> Howell. Pussy-paws.	15¢	<i>V. SCOPARIUM</i> Leiberg.	25¢
<i>STELLARIA LONGIFOLIA</i> Muhl. Chickweed.	25¢	<i>VALERIANA SITCHENSIS</i> Bong. White. 10-14" pH-5-7 June-July. And others.	25¢
<i>STEIRONEMA CILIATUM</i> L. Raf. Fringed Loosestrife.	25¢	<i>VERATRUM SPECIOSUM</i> Rydb. False Hellebore. Greenish-white. 3-4' pH-5-7 July.	25¢
<i>STENOTUS</i> , see <i>APLOPAPPUS</i>		<i>VERONICA AMERICANA</i> Schwein. Blue. 18" Stream's edge. All summer.	20¢
<i>STREPTOPUS AMPLEXIFOLIUS</i> (L.) DC. Twisted-stalk. Showy, bright orange- red berries dangling along the branches. White. 1 $\frac{1}{2}$ -3' pH-6-7 May-July.	30¢	<i>V. SERPYLLIFOLIA</i> L. Blue. 6-8" pH-5-6 May-June.	20¢
<i>STERTIA PARENINIS</i> L. var. <i>OBTUSA</i> (Ledeb.) Griseb.	25¢	* <i>VIOLA ADUNCA</i> J.E. Smith. Blue. 3-5" pH-6-7 May-June.	15¢
<i>SYMPHORICARPUS OCCIDENTALIS</i> Hooker. Snowberry. 2' pH-5-7	25¢	<i>V. ADUNCA</i> var. <i>GLABRA</i> Brainerd. Blue. 3-4" pH-5-6 June.	20¢
		<i>V. BELLIDIFOLIA</i> Greene. Blue. 2-4" Apr.-May.	25¢
		* <i>V. GLABELLA</i> Nutt. Woods type. Yellow. 6-10" pH-6-7 Apr.-July.	15¢
		<i>V. NUTTALLII</i> var. <i>VALLICOLA</i> (A.Nels.) St. John. A drought resistant yellow violet.	20¢



V. ORBICULATA Geyer.  
Yellow violet of cold woods.  
Yellow. 2-4" pH-5-9 Apr.-July.

V. PALUSTRIS L.

V. RUGULOSA Greene.  
This one grows willingly.  
White. 10-12" May-on.

WOODSIA, see following ADIANTUM

15¢	XYROPHYLLUM TENAX (Pursh) Nutt.	25¢
	Beargrass. Like lights burning in the woods. Small plants sent.	
	White. 3' pH-5-7 June-July.	
25¢	YUCCA GLAUCA Nutt.	35¢
20¢	If and when I get to the eastern part of the state.	
	ZAGADENUS GRAMINEUS Rydb.	10¢
	Wand Lily. (fall bulbs)	

#### COMMON NAMES

Where the scientific and common name is the same it is listed but once. If you don't find it here, look in the general list or write.

Aconite saxifrage, Boykinia	Carpet pink, Silene acaulis
Alfilaria, Erodium	Cat's-paws, Antennaria
Alum-root, Heuchera	Cat-tail, Typha
American bluebell, Mertensia	Chickweed, Cerastium
American cowslip, Dodecatheon	Chickweed, Stellaria
American laurel, Kalmia	Chokecherry, Prunus
American pasque flower, Anemone patens	Cinquefoil, Potentilla
Antelope bush, Purshia	Climbing bittersweet, Celastrus
Arrowhead, Sagittaria	Clubmoss, Lycopodium
Avalanche lily, Erythronium	Clubmoss (little) Selaginella
Avens (Mt.), Dryas	Columbine, Aquilegia
Avens (purple), Sieversia	Coralroot, Corallorhiza
Avens (yellow) Geum	Cotton grass, Eriophorum
Bachelor's button, Centaurea	Cow-parsnip, Heracleum
Balsamroot, Balsamorhiza	Cranebill, Geranium
Baneberry, Actaea	Currant, Ribes
Bearberry, Arctostaphylos	Cypress spurge, Euphorbia
Beardstongues, Pentstemon	Daisy, Erigeron
Beargrass, Xyrophyllum	Death camas, Zygadenus
Bedstraw, Galium	Devil's club, Echinopanax
Bird-bills, Dodecatheon	Dogbane, Apocynum
Birth-root, Trillium	Dog-tooth violet, Erythronium
Biscuit root (white), Lomatium	Dogwood, Cornus
Bishopscap, Mitella	Duckweed, Lemna
Bistort, Polygonum	Duckweed (larger), Spirodela
Bitterbrush, Pershia	Dwarf larkspur, Delphinium
Bitter cherry, Prunus	Easter daisy, Townsendia
Bitterroot, Lewisia	Elder, Sambucus
Bladder pod, Lesquerella	Elderberry, Sambucus
Blanket flower, Gaillardia	Elephant head, Pedicularis
Blazing star, Liatris	Elk thistle, Cirsium
Blazing star, Mentzelia	Evening-primrose, Oenothera
Bluebell, Campanula	Everlasting, Anaphalis
Bluebell, Mertensia	Fairy bells, Disporum
Blueberry, Vaccinium	Fairy slipper, Calypso
Blue bonnet, Lupinus	False bugbane, Trautvetteria
Blue camas, Camassia	False helebore, Veratrum
Blue-eyed grass, Sisyrinchium	False miterwort, Tiarella
Blue flag, Iris	False solomon's seal, Disporum
Blue flax, Linum	Fernleaf, Pedicularis
Bog asphodel, Tofieldia	Ferns, see under Adiantum
Bog orchis, Habenaria	Fireweed, Epilobium
Brides-bouquet, Chaenactis	Five-finger, Potentilla
Brown-eyed Susan, Gaillardia	Flax (blue) Linum
Brown-weed, Gutierrezia	Fleabane, Erigeron
Buffaloberry, Shepherdia	For-get-me-not (caespitose) Eritrichium
Bulrush, Scirpus	For-get-me-not (tall) Myosotis or Lappula
Bunchberry, Cornus	Fringecup, Lithophragma
Buttercup, Ranunculus	Fringed-loosestrife, Steironema
Butterfly lily, Calochortus	Garlic, Allium
Butterfly weed, Gaura	Giant-hysop, Agastache
Butterweed, Senecio	Glacier lily, Erythronium
Button snake-root, Liatris	Globe flower, Trollius
Cactus, (ball type) Coryphanta	Globemallow, Sphaeralcea
Cactus, (spreading type) Opuntia	Golden aster, Chrysopsis
Capnoides, Corydalis	Goldenpea, Thermopsis

Golden-rod, *Solidago*  
 Gold-thread, *Coptis*  
 Grape fern, *Botrychium*  
 Grass of Parnassus, *Parnassia*  
 Green-gentian, *Frasera*  
 Gromwell, *Lithospermum*  
 Groundsel, *Senecio*  
 Harebell, *Campanula*  
 Hawthorn, *Crataegus*  
 Heal-all, *Prunella*  
 Hearts-ease, *Viola*  
 Holly fern, *Polystichum*  
 Holly-grape, *Berberis*  
 Honeysuckle, *Lonicera*  
 Horsemint, *Monarda*  
 Horsetail, *Equisetum*  
 Huckleberry, *Vaccinium*  
 Hyacinth, *Brodiaea*  
 Jacob's ladder, *Gilia*  
 Jacob's ladder, *Polemonium*  
 June-berry, *Amelanchier*  
 Kinnikinnick, *Arctostaphylos*  
 Kitten tails (blue), *Synthyris*  
 Kitten tails (red), *Besseyia*  
 Kitten toes, *Antennaria*  
 Labrador tea, *Ledum*  
 Lace flower, *Tiarella*  
 Ladies' slipper, *Cypripedium*  
 Ladies' tresses, *Spirentes*  
 Lady's thumbs, *Polygonum*  
 Larkspur, *Delphinium*  
 Leather-flower, *Clematis hirsutissima*  
 Lemon mint, *Monarda*  
 Licorice, *Glycyrrhiza*  
 Lily-of-the-Valley, *Smilacina*  
 Lion's heart, *Physostagia*  
 Little club moss, *Selaginella*  
 Loco, *Astragalus*  
 Loco, *Oxytropis*  
 Louseworts, *Pedicularis*  
 Lupine, *Lupinus*  
 Mallow, *Malvastrum*  
 Maretail, *Equisetum*  
 Maretail, *Hippuris*  
 Mariposa lily, *Calochortus*  
 Marsh marigold, *Caltha*  
 Meadow rue, *Thalictrum*  
 Meadow saxifrage, *S. montanensis*  
 Meadow sweet, *Spiraea*  
 Milfoil, *Achillea*  
 Milkvetch, *Astragalus*  
 Milkweed, *Asclepias*  
 Miner's lettuce, *Claytonia*  
 Miterwort, *Mitella*  
 Mock orange, *Philadelphus*  
 Monkey flower, *Mimulus*  
 Monkshood, *Aconitum*  
 Moonwort, *Botrychium*  
 Morning-star, *Mentzelia*  
 Moss chickweed, *Spergularis*  
 Moss pink, *Douglasia*  
 Mountain ask, *Sorbus*  
 Mountain dock, *Polygonum*  
 Mountain-gold, *Alopappus*  
 Mountain laurel, *Ceanothus*  
 Mountain laurel, *Kalmia*  
 Mountain lover, *Pachystima*  
 Mountain maple, *Acer*  
 Mountain spray, *Sericotheca*  
 Mouse-ear, *Cerastium*  
 Muskplant, *Mimulus*  
 Nodding onion, *Allium cernuum*  
 New Jersey tea, *Ceanothus*  
 Ninebark, *Opulaster*  
 Oak fern, *Dryopteris*

Ocean spray, *Sericotheca*  
 Old man's whiskers, *Sieversia*  
 Onion, *Allium*  
 Oregon sunshine, *Eriophyllum*  
 Orpine, *Sedum*  
 Owl's clover, *Orthocarpus*  
 Paint brush, *Castilleja*  
 Parrotfeather, *Myriophyllum*  
 Parsley fern, *Cryptogramma*  
 Pasque flower, *Anemone patens*  
 Pathfinder, *Adenocaulon*  
 Pearl everlasting, *Anaphalis*  
 Pin-clover, *Erodium*  
 Pipsissewa, *Chimaphila*  
 Pond lily, *Nymphaea*  
 Popcorn flower, *Cryptantha*  
 Prairie pink, *Lygodesmia*  
 Prairie-smoke, *Sieversia*  
 Prickley pear, *Opuntia*  
 Primrose (evening), *Oenothera*  
 Puccoon, *Lithospermum*  
 Purple clematis, *Clematis columbiana*  
 Pussy-ears, *Calochortus*  
 Pussy-paws, *Spraguea*  
 Pussetoes, *Antennaria*  
 Queen cup, *Clintonia*  
 Rabbit bush, *Chrysothamnus*  
 Rabbit tobacco, *Antennaria*  
 Ragwort, *Senecio*  
 Rattlepod, *Astragalus*  
 Rattlesnake plantain, *Goodyera*  
 Red cedar, *Juniperus*  
 Red stonecrop, *Sedum integrifolium*  
 Red heather, *Phyllodoce*  
 Rock jasmine, *Dioscorea*  
 Rush, *Juncus*  
 Sacred rhubarb, *Rheum*  
 Sage, *Artemisia*  
 Solomon berry, *Bossekia*  
 Sand lily, *Mentzelia*  
 Sandwort, *Alsinoopsis*  
 Sandwort, *Arenaria*  
 Sandwort (blunt leaved), *Moehringia*  
 Saskatoon, *Amelanchier*  
 Saxifrage, *Boykinia*  
 Saxifrage, *Saxifraga*  
 Scarlet gaura, *Gaura*  
 Scarlet gilia, *Gilia*  
 Scotch bluebell, *Campanula*  
 Sedge, *Carex*  
 Sego lily, *Calochortus*  
 Selfheal, *Prunella*  
 Serviceberry, *Amelanchier*  
 Shin leaf, *Pyrola*  
 Shooting star, *Dodecatheon*  
 Showy milkweed, *Asclepias*  
 Shrubby cinquefoil, *Potentilla fruticosa*  
 Silkweed, *Asclepias*  
 Silver berry, *Elaeagnus*  
 Silver plant, *Eriogonum ovalifolium*  
 Single beauty, *Moneses*  
 Skeleton weed, *Lygodesmia*  
 Sky pilot, *Polemonium*  
 Skul-cap, *Scutellaria*  
 Skunk cabbage, *Lysichiton*  
 Skunk weed, *Polemonium*  
 Snowberry, *Symphoricarpos*  
 Snowbrush, *Ceanothus*  
 Solomonplume, *Smilacina*  
 Spanish bayonet, *Yucca*  
 Stork's bill, *Erodium*  
 Speedwell, *Veronica*  
 Spike-rush, *Eleocharis*  
 Spotted saxifrage, *S. Bronchialis* var.  
 Spring beauty, *Claytonia*



Squaw root, *Perideridia*  
 Star-flowered Solomon's seal, *Smilacina*  
 Star flower, *Lithophragma*  
 Star thistle, *Centaurea*  
 Starwort, *Alsine*  
 Stenotus, *Alopappus*  
 Stickleaf, *Mentzelia*  
 Stick seed, *Lappula*  
 St. John's wort, *Hypericum*  
 Stonecrop, *Sedum*  
 Sugar bowl, *Clematis hirsutissima*  
 Sulphur plant, *Eriogonum Piperi*  
 Sumac, *Rhus*  
 Sundew, *Drosera*  
 Sun-cups, *Oenothera*  
 Swamp laurel, *Kalmia*  
 Syringa, *Philadelphus*  
 Thimbleberry, *Bossekia*  
 Toad-flax, *Comandra*  
 Tobacco-root, *Valeriana*  
 Turkey peas, *Orogenia*  
 Turpentine weed, *Gutierrezia*  
 Twayblade, *Listera*  
 Twinflower, *Linnaea*  
 Twinpod, *Physaria*  
 Twisted-stalk, *Streptopus*  
 Umbrella plant, *Eriogonum subalpinum*  
 Violet, *Viola*  
 Virgin's bower, *Clematis*  
 Wake robin, *Trillium*  
 Wall flower, *Erysimum*  
 Wand lily, *Zagadenus*  
 Water buttercup, *Batrachium*  
 Water ladysthumb, *Polygonum*

Waterleaf, *Hydrophyllum*  
 Water lily, *Nymphaea*  
 Water milfoil, *Myriophyllum*  
 Water plantain, *Alisma*  
 Western blue flag, *Iris*  
 White dryad, *Dryas octopetala*  
 Whitlow-wort, *Paronychia*  
 Whorled water-milfoil, *Myriophyllum*  
 Whortleberry, *Vaccinium*  
 Wild bergamot, *Monarda*  
 Wild buckwheat, *Eriogonum*  
 Wild crocus, *Anemone patens*  
 Wild heliotrope, *Valeriana*  
 Wild hollyhock, *Sphaeralcea*  
 Wild hyacinth, *Brodiaea*  
 Wild parsnip, *Lomatium*  
 Wild parsnip (fragrant), *Ligusticum*  
 Wild sarsaparilla, *Aralia*  
 Wind flower, *Anemone globosa*  
 Wintergreen, *Chimaphila*  
 Wintergreen, *Pyrola*  
 Wood orchid, *Habenaria*  
 Wood-rush, *Luzula*  
 Woods anemone, *Anemone Piperi*  
 Woods nymph, *Moneses*  
 Woolly yellow daisy, *Eriophyllum*  
 Wormwood, *Artemisia*  
 Yampa, *Perideridia*  
 Yarrow, *Achillea*  
 Yellow avens, *Geum*  
 Yellow-bell, *Fritillaria*  
 Yellow dryas, *Dryas Drummondii*  
 Yellow parsnip (dwarf) *Musineon*  
 Yellow stoncrop, *Sedum stenopetalum*

For seed or living plants of species native to the Glacier and Yellowstone Park region, in fact for any collected plant material native to the Northern Rocky Mountains, write

Frank H. Rose,  
 1020 Poplar Street,  
 Missoula, Montana.

